

HUSSAR_BLUE - size 178 cm / C100 W86 H58

A4 home tiles | 6 columns x 14 rows | fabric-pattern/1, mm





PRINT AT 100% / ACTUAL SIZE (Scale: None). Do NOT use Fit, Shrink oversized pages or Scale to fit.

Print this page first. Measure both squares across AND down: 4 in = 101.6 mm, 10 cm = 100 mm. If either is off by more than 1 mm, fix the printer settings first.


PRINT PAGES: 2-81 (80 tiles). Blank tiles F1, F2, F3, F9 have nothing on them and are omitted from this file.

ASSEMBLE: trim the RIGHT and BOTTOM margins of each page along the frame line, lay it over its right / lower neighbour so the frame lines meet and the half-diamonds form whole diamonds with the same code (e.g. A1|B1). Tape. Pattern lines run 5 mm past the frame so you can check alignment.


LAYERS: use the Layers panel (Acrobat, Preview, pdf.js) to hide Seam lines, Notches, Grainlines & labels, Placement marks or Soutache placement. One layer per size.

STITCHING APPS (Pattern Projector, PDFStitcher): blank tiles are omitted, so for a 6-column grid use the export made with --keep-blank-pages; edge insets 10 mm left/right, 10 mm top, 10 mm bottom.


Seam allowance is included; the cut line is solid, the seam line dashed.



Tile map



A1



Charivades back


HUSSAR_BLUE size 178 cm / C100 W

Cut 2 (mirror pair)

Fabric: navy broadcloth

SA included: 10 mm

Face scallops with regimental binding. Leave outer seam b




ack

:100 W86 H58

oth
n

eam below knee open for buttons.

C1



B1|C1

C1|D1

C1

Charivades front


HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)


Fabric: navy broadcloth

SA included: 10 mm

Face scallops with regimental binding. Leave outer seam below knee open for buttons.




C1|C2



s.

Ease the c

E1



D1|E1

E1

Pelisse upper sleeve

HUSSAR_BLUE size 178 cm / C100 W86 H58


Cut 2 (mirror pair)


Fabric: blue wool / black lamb


SA included: 10 mm


e the cap into the armscye. Match front, side-back and shoulder marks.


E1|E2



A2
A1|A2
A2
A2|B2
A2|A3



B2
B1|B2
A2|B2
B2|C2
B2|B3
B2



C2
C1|C2
C2
B2|C2
C2|D2
C2|C3



D2
D1|D2
C2|D2
D2|E2
D2|D3
D2



E2
E1|E2
D2|E2
E2
E2|E3


A3
A2|A3
A3
A3|B3
A3|A4


B3
B2|B3
A3|B3
B3|C3
B3|B4
B3



C3
C2|C3
C3
B3|C3
C3|D3
C3|C4


D3
D2|D3
C3|D3
D3|E3
D3|D4
D3


E3
E2|E3
D3|E3
E3
E3|E4

A4

A3|A4



A4

A4|B4

Dolman upper sleeve

HUSSAR_BLUE size 178 cm / C100 W86 H58


Cut 2 (mirror pair)

Fabric: blue wool / linen

SA included: 10 mm

Ease the cap into the armscye. Match front, side-back and sh

A4|A5




6 H58

and shoulder marks.

C4

C3|C4



B4|C4

C4|D4

Breeches back

HUSSAR_BLUE size 178 cm / C100 W86 H58


Cut 2 (mirror pair)


Fabric: buckskin

SA included: 10 mm


Cut mirror pair. Seat curve rises at centre back. Check seated depth in a toile.

C4|C5


D4
D3|D4
C4|D4
D4|E4
D4|D5
D4


E4
E3|E4
Fall slit - face before clipping
E4
D4|E4
E4|F4
E4|E5

F4



Pelisse under sleeve

HUSSAR_BLUE size 178 cm / C100 W86 H58


Cut 2 (mirror pair)


Fabric: blue wool / black lamb


SA included: 10 mm


Cut a mirrored pair in outer cloth and a pair in lining.

F4



A5
A4|A5
A5
A5|B5
A5|A6


B5
B4|B5
B5
A5|B5
B5|C5
B5|B6


C5
C4|C5
B5|C5
C5|D5
C5|C6
C5



Close centre front. St



Breeches front


HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)


Fabric: buckskin

SA included: 10 mm

ınt. Staystitch and face each marked 172 mm fall slit. Leave outer knee vents open.


F5
F4|F5
E5|F5
F5
F5|F6

A5|A6



A6

A6|B6

Dolman under sleeve

HUSSAR_BLUE size 178 cm / C100 W86 H58


Cut 2 (mirror pair)


Fabric: blue wool / linen


SA included: 10 mm


Cut a mirrored pair in outer cloth and a pair in lining.

A6|A7


B6
B5|B6
A6|B6
B6|C6
B6
B6|B7


C6
C5|C6
C6
B6|C6
C6|D6
C6|C7


D6
D5|D6
C6|D6
D6|E6
D6
D6|D7



Dolman centre back


HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: blue wool / linen


SA included: 10 mm


Cut a mirrored pair in outer cloth and a pair in lini



36 H58

in lining.


A7
A6|A7
A7
A7|B7
A7|A8



Dolman front


HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: blue wool / linen


SA included: 10 mm

Cut mirrored in d lining. Transfer the twelve cord paths before assemb



6 H58

ssembly; button the fastening front.



Pelisse front


HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)


Fabric: blue wool / black lamb


SA included: 10 mm

Cut mirrored in shell and lining. Transfer the [illegible]ord paths before assembly; button the fastening front.



front.



F7
F6|F7
E7|F7
F7
F7|F8




A8

Pelisse centre back

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: blue wool / black lamb
SA included: 10 mm
Cut a mirrored pair in outer cloth and a pair in lining.


B8
B7|B8
A8|B8
B8|C8
B8|B9
B8


C8
C7|C8
C8
B8|C8
C8|D8
C8|C9

D8

D7|D8

C8|D8

D8|E8

D8|D9

Pelisse side back

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: blue wool / black lamb

SA included: 10 mm

Cut a mirrored pair in outer cloth and a pair in [illegible].

E8

E7|E8

D8|E8

E8|F8

E8|E9

Dolman side back

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: blue wool / linen
SA included: 10 mm
Cut a mirrored pair in outer cloth and a pair in lining.

E8


F8

F7|F8

Fall opening stay


SAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: linen
SA included: 10 mm
slit. Clip to the lower end and turn; reinforce the corner.

E8|F8



Gauntlet - back

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: supple buff gloving leather
SA included: 1.5 mm
Pair one back with the opposite-facing palm from the same hand. Use the named finger edges.


A9
A8|A9
A9
A9|B9
A9|A10

B9

B8|B9

Charivades button stand
HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: navy broadcloth
SA included: 10 mm
Join the divided edge to the back opening, matching the calf station. Fold and set buttons opposite the front.

B9

A9|B9

B9|C9

Mirliton - yellow stre
HUSSAR_BLUE size 178 cm / C100
Cut 1
Fabric: yellow wool
SA included: 5 mm
Turn long edges narrowly; tack root to the upper wall

B9|B10

C9

C8|C9

B9|C9

C9|D9

C9

Dolman front facing

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: blue wool
SA included: 10 mm
Cut a pair. Sew at the front opening, turn and secure to lining.


Pelisse front facing


HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: blue wool
SA included: 10 mm
Cut a pair. Sew at the front opening, turn and secure to lining.

yellow streamer

ze 178 cm / C100 W86 H58
Cut 1
c: yellow wool
ıcluded: 5 mm
t to the upper wall and drape down the side.

C9|C10


D8|D9
Pelisse fur opening strip
HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: black lamb
SA included: 10 mm
Place over the finished opening. Tack flat with nap toward hem. Meet hem trim at lower corners.
C9|D9
D9|E9
D9|D10


E9
E8|E9
E9
D9|E9
E9|E10

A9|A10

Face the inte

Clip to 0.7 mm from web

Clip to 0.7 mm from web

Clip to 0.7 mm from web

Gauntlet - palm

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: supple buff gloving leather
SA included: 1.5 mm
Stretch across the palm. Use fine 1.5 mm glove seams; clip carefully to the marked webs.

Thumb web

Thumb base

A10

A10|B10

Mirliton - crown tip

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 1
Fabric: yellow wool
SA included: 7 mm
Match quarter marks; align long axis front to back. Ease evenly around the turn.

A10|A11

B10

B9|B10

Breeches fall facing

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 1

Fabric: linen

SA included: 10 mm

ıe integral drop front; stitch at the waist and along both slit edges. Turn and button to the band.





B10

A10|B10

B10|C10

B10|B11


C10
C9|C10
B10|C10
C10|D10
C10
C10|C11



Mirliton - lower wall

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 1

Fabric: black wool felt

SA included: 7 mm

E9|E10

Mirliton - yellow crown wall

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 1

Fabric: yellow wool

SA included: 7 mm

Match the four lower quarters to the lower wall; align both back seams.

E10

D10|E10

E10|F10

E10|E11


Gauntlet - flared cuff


R_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)


Fabric: buff gloving leather

F10





A11



Dolman pc


HUSSAR_BLUE size 17


Cut 2 (mi

Fabric: bl

SA include

Cut a pair plus facing. Close





n pointed cuff

size 178 cm / C100 W86 H58
2 (mirror pair)
bric: blue wool
ncluded: 10 mm
Close short ends; apply at wrist.

C11

C10|C11

B11|C11

C11|D11

C11|C12

Pelisse pointed cuff

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: black lamb trim

SA included: 10 mm

Cut a pair plus facing. Close short ends; apply at wrist.

Fabric: black wool felt

SA included: 7 mm

Join centre-ba es. The 590 mm base allows 10 mm over a 580 mm he

D11

D10|D11

C11|D11

D11|E11

D11|D12

D11

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: buff gloving leather
SA included: 4 mm
Close cuff seam; matc[illegible]01 mm wrist halves to the palm and back. Bind the 292 mm flared opening.

E11

nm head.

E10|E11


D11|E11

E11|F11

E11


E11|E12

Pr[illegible] waistband


F11
F10|F11
E11|F11
F11
Breeches knee vent underlap
HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: buckskin
SA included: 10 mm
Apply to the back edge of the 66 mm knee vent. Finish the oppos
F11|F12

A12

A11|A12



A12

Barrel sash - b


HUSSAR_BLUE size 178 cm

Cut 1

Fabric: firm lin

SA included: 7 r

Join both long edges to the corded face; turn, finish th



B12

B11|B12

Dolman stand collar

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 1

Fabric: blue wool / linen

SA included: 10 mm

Cut one outer and one undercollar. Match shoulders and centre back b



Centre back

Shoulder

A12|B12

B12|C12

B12

n - backing


78 cm / C100 W86 H58

t 1

rm linen

ed: 7 mm

nish the ends and add the ties over the dolman.





B12|B13

Barrel wrap

Barrel wrap

Barrel wrap


C12
C11|C12
6 H58
back before setting the stand.
B12|C12
C12|D12
C12
C12|C13
Barrel wrap
Barrel wrap
Barrel wrap
Barrel wrap


D12
D11|D12
Fold along centre. Leave both
C12|D12
D12
D12|E12
D12|D13
Barrel wrap
Barrel wrap
Barrel wrap
Barrel wrap

E12

Breeches waistband

HUSSAR_BLUE size 178 cm / C100 W86 H5

Cut 1

Fabric: buckskin

SA included: 10 mm

e both 102 mm centre-front sections independent behind the fall. Button the 32 mm extension.

E11|E12

D12|E12

E12|F12

E12

E12|E13

Cord row

Cord row

Cord row

Cord row

Cord row

Cord row

Barrel wrap

Barrel wrap

Barrel wrap

Barrel sash - cord foundation

Apply to the back edge of the 65 mm knee vent. Finish the opposite vent edge.

F12

F11|F12

E12|F12

F12


Gauntlet - thumb back

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: supple buff gloving leather
SA included: 3 mm
Set this root to the back half of the thumb gusset.

Gauntlet - thumb palm

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: supple buff gloving leather
SA included: 3 mm
Set the root to the palm half of the thumb gusset. Close both thumb faces around the

F12|F13


Barrel wrap
A12|A13
Barrel wrap
Barrel wrap
Shoulder
A13
A13|B13
Closure position
Neck stock - face
HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 1
Fabric: black wool
SA included: 7 mm
Sew lining at both long edges; turn and finish ends. Fit tabs at the marked positions for a 39-43 cm neck.
A13|A14

B13

Barrel wrap

Barrel wrap

B12|B13

rrel wrap

Barrel wrap

Pelisse stand collar

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 1

Fabric: blue wool / black lamb

SA included: 10 mm

Cut one outer and one undercollar. Match shoulders and centre back before setting the



Centre back

Shoulder

B13

A13|B13

B13|C13

Breeches knee band



HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: buckskin

SA included: 10 mm

Fold lengthwise. Match the 171 mm front and 193 mm back; leave 25 mm for the butto

B13|B14

C13

Barrel wrap

Barrel wrap

C12|C13

Barrel wrap

Barrel wrap

tting the stand.

B13|C13

C13|D13

Closure positio

Closure positio

Closure position

Closure position

Neck stoc

HUSSAR_BLUE size 17

Cut


Fabric: cot

SA include

Sew lining at both long edges; turn and finish ends. Fi

e button overlap.

C13|C14



k stock - lining

E size 178 cm / C100 W86 H58

Cut 1

Fabric: cotton lawn

SA included: 7 mm

sh ends. Fit tabs at the marked positions for a 39-43 cm neck.

E13

Barrel wrap

Barrel wrap

E12|E13

Barrel wrap

Cord row

Cord row

Cord row

Cord row

Cord row

Cord row

Cord row

Cord row

Cord row

Barrel sash - cord foundation

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 1

Fabric: matching wool

SA included: 7 mm

Couch twelve cord rows; bind them in eighteen marked barrel groups. Work this face before adding the backing.

Pelisse fur hem half

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: black lamb

SA included: 10 mm

Join halves at centre back. Turn to fur side.

E13

D13|E13


E13|F13

Closure positio

Closure positio

Closure

E13|E14


F13
F12|F13
F13
E13|F13
Closure position
F13|F14

A13|A14

Overlap range

Overlap range

Hat - inside sweatband

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 1
Fabric: cotton twill
SA included: 7 mm
Join short ends. Match lower quarters to the hat base, turn inward and tack.


Overlap range

Overlap range

A14|B14

A14

Finger web - little / ring
HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: supple buff gloving leather
SA included: 1.5 mm
Widest point at the finger web. Taper each end into its named fingertip.


B14
B13|B14
A14|B14
B14|C14
B14


C14

C13|C14

Co

HUSS

Butt-stitch the shoulder ends. Fit th



B14|C14

C14|D14

C14

D14

D13|D14


Costume crossbelt - broad

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: buff leather

s. Fit the hip overlap and secure with costume snaps. Finish the long edges.



C14|D14

Costume crossbelt - narrow

HUSSAR_BLUE size 178 cm / C100 W86 H58

Cut 2 (mirror pair)

Fabric: buff leather


Butt-stitch the shoulder ends. Fit the hip overlap and secure with costume snaps. Finish the long edges.

D14

D14|E14

E14

E13|E14



Fold lengthwise, sew the long

D14|E14

E14|F14

E14

F13|F14

Barrel sash - ties

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: matching wool
SA included: 5 mm

e, sew the long edges and turn. Secure one tie to each end of the sash. Add a cord tassel.

E14|F14

Finger web - ring / middle

HUSSAR_BLUE size 178 cm / C100 W86 H58
Cut 2 (mirror pair)
Fabric: supple buff gloving leather
SA included: 1.5 mm

op finger web. Taper each end into its wanted fingertip.

F14